



No.	Name	Note	No.	Name	Note
1	Angle valve	1/4"Flare	13	Angle valve	1/4"Flare
2	Discharge flange	3"	14	Refrigerant service valve	1/4"Flare
3	Solenoid valve	50%(NC)	15	Solenoid valve	Stepless/NC or NO, option
4	Solenoid valve	75%(NC)	16	Liquid injection connector	5/8"Flare, option
5	Solenoid valve	25%(NC)	17	Suction flange	4"
6	Liquid/sail or refrigerant injection connector	3/8"Flare, option	18	Cable box	Standard
7	Capillary		19	Service flange	
8	Check valve	3"	20	Oil drain valve	option
9	Oil flow sight glass		21	Discharge temp. sensor	110°C
10	Service flange		22	Safety Valve	1"NPT,option
11	Stop Pin		23	Economizer port	1 1/8" solder
12	Oil inlet connector	5/8"Flare			

*All stop valves are optional

UNIT Sl: mm Imperial: (in)																											
<table border="1"> <tr> <td>⚠</td> <td>2014.09.04</td> <td>Dimension correction</td> <td></td> </tr> <tr> <td>⚠</td> <td>2012.04.30</td> <td>Delete Connector</td> <td></td> </tr> <tr> <td>Item</td> <td>Date</td> <td>Modification</td> <td></td> </tr> </table>	⚠	2014.09.04	Dimension correction		⚠	2012.04.30	Delete Connector		Item	Date	Modification		<table border="1"> <tr> <td>Model</td> <td colspan="3">RC2-550BF</td> </tr> <tr> <td>Name</td> <td colspan="3">Compressor outline</td> </tr> <tr> <td></td> <td>H</td> <td>HANBELL</td> <td>Ver. 05</td> </tr> </table>			Model	RC2-550BF			Name	Compressor outline				H	HANBELL	Ver. 05
⚠	2014.09.04	Dimension correction																									
⚠	2012.04.30	Delete Connector																									
Item	Date	Modification																									
Model	RC2-550BF																										
Name	Compressor outline																										
	H	HANBELL	Ver. 05																								